

Package: DOVE (via r-universe)

September 11, 2024

Type Package

Title Durability of Vaccine Efficacy

Version 1.10

Date 2023-12-13

Description Implements maximum likelihood methods for evaluating the durability of vaccine efficacy in a randomized, placebo-controlled clinical trial with staggered enrollment of participants and potential crossover of placebo recipients before the end of the trial. Lin, D. Y., Zeng, D., and Gilbert, P. B. (2021) <[doi:10.1093/cid/ciab226](https://doi.org/10.1093/cid/ciab226)> and Lin, D. Y., Gu, Y., Zeng, D., Janes, H. E., and Gilbert, P. B. (2021) <[doi:10.1093/cid/ciab630](https://doi.org/10.1093/cid/ciab630)>.

License GPL-2

Depends R (>= 3.5.0), methods, survival

Suggests rmarkdown, knitr

Imports Rcpp (>= 1.0.4.6), stats, graphics, RcppArmadillo

VignetteBuilder utils, knitr

LinkingTo Rcpp, RcppArmadillo

NeedsCompilation yes

Encoding UTF-8

RoxygenNote 7.2.3

Collate 'VEplot_type2.R' 'VEcal.R' 'postProcess.R' 'CoxReg.R'
'RcppExports.R' 'VEplot_type1.R' 'postInterval.R' 'postBeta.R'
'infBeta.R' 'postProcessDove.R' 'scores.R' 'loc.R' 'vcFit.R'
'verifyInputs.R' 'dove.R' 'dove2.R' 'doveData.R' 'iterations.R'
'plot.DOVE.R' 'postVE.R' 'print.DOVE.R' 'vaccine.R'

Author Danyu Lin [aut], Yu Gu [aut], Donglin Zeng [aut], Shannon T. Holloway [aut, cre]

Maintainer Shannon T. Holloway <shannon.t.holloway@gmail.com>

Date/Publication 2023-12-13 23:40:05 UTC

Repository <https://sth1402.r-universe.dev>

RemoteUrl <https://github.com/cran/DOVE>

RemoteRef HEAD

RemoteSha ed472e4e22ecdd620b279d828124b22e30adbdba

Contents

dove	2
dove2	5
doveData	8
plot	8
print	10
vaccine	11

Index	12
--------------	-----------

dove	<i>Durability of Vaccine Efficacy</i>
------	---------------------------------------

Description

Estimates the potentially waning long-term efficacy of vaccines in randomized, placebo-controlled clinical trials with staggered enrollment of participants and sequential crossover of placebo recipients. The hazard ratio for the vaccine effect is a nonparametric function of time.

Usage

```
dove(formula, data, plots = TRUE, timePts = NULL, bandwidth = NULL)
```

Arguments

formula	A formula object, with the response on the left-hand side of a '~' operator, and the covariates and vaccine() function on the right-hand side. The response must be a survival object as returned by the 'Surv' function of the survival package. See Details for further information. The vaccine() function must be used to specify the entry time and vaccination information. See ?vaccine and Details for further information.
data	A data.frame object. The data.frame in which to interpret the variable names in formula. Must contain the entry time, the event time, the event status, the vaccination status, the vaccination time, and any covariates. All time variables must be provided in units of days. See Details.
plots	A logical object. If TRUE, plots of the estimated curve of vaccine efficacy in reducing attack rate and the estimated curve of vaccine efficacy in reducing the hazard rate will be automatically generated. If FALSE, plots will not be generated, but the data are available through the returned value object.

timePts	A numeric vector object or NULL. The endpoints of the time periods for which the vaccine efficacy in reducing the attack rate is to be shown. If NULL, a default sequence of 60-day intervals is used. If $\tau < 60$ days, this input must be provided.
bandwidth	A numeric object. Tuning parameter for the bandwidth used for kernel estimation of the vaccine efficacy in reducing the hazard rate; this input is ignored if <code>plots=FALSE</code> .

Details

In `dove()`, the hazard ratio for the vaccine effect is a nonparametric function of time for which confidence intervals are not provided. The sister function, `dove2()`, assumes that the log hazard ratio for the vaccine effect is a piecewise linear function of time; it provides more precise and more stable estimates of vaccine efficacy on the hazard rate and includes proper confidence intervals.

The information required for an analysis is

Entry Time: Calendar time when the participant enters the trial.

Event Time: Calendar time when the participant experiences the clinical event of interest (e.g., symptomatic COVID-19) or their follow-up ends, whichever occurs first.

Event Status: Binary indicator taking value 1 if the clinical event of interest occurs before the end of follow-up and 0 otherwise.

Vaccination Status: Binary indicator taking value 1 if vaccination occurs before the end of follow-up and 0 otherwise.

Vaccination Time: Calendar time when vaccination takes place, with an arbitrary non-negative value if the participant is not vaccinated.

Covariates: Baseline covariates (e.g., priority group, age, ethnicity).

Note that all times are to be specified relative to the start of the trial and are specified in units of days. Thus, for individuals that received vaccination, $\text{entry_time} \leq \text{vaccination_time} \leq \text{event_time}$. And for individuals that did not receive vaccination, $\text{entry_time} \leq \text{event_time}$; for these participants, `vaccination_time` can take any non-negative value (including NA or Inf).

The general structure of the formula input is

```
Surv(event_time, event_status) ~ covariates +
  vaccine(entry_time, vaccination_time, vaccination_status)
```

The response variable must be a survival analysis object as returned by the `'Surv()'` function of package **survival**, where `event_time` is the observation time (formal argument `'time'`) and `event_status` is the status indicator input (formal argument `'event'`). Specifically,

```
Surv(time = event_time, event = event_status)
```

The covariates can include categorical variables, for which all other categories are compared to the first category.

The vaccination and `entry_time` information must be specified through function `'vaccine()'`. Specifically,

```
vaccine(entry_time, vaccination_status, vaccination_time)
```

For participants that did not receive the vaccine, `vaccination_time` can take any non-negative value (including NA or Inf). For individuals that received vaccination, if `vaccination_time > event_time`, or `vaccination_time < entry_time`, the case will be removed from the analysis and a message will be generated.

Value

An S3 object of class DOVE containing a list with elements

<code>covariates</code>	A matrix containing the estimated hazard ratio of each covariate, together with the (estimated) standard error, the 95% confidence interval, and the two-sided p-value for testing no covariate effect.
<code>vaccine</code>	A list containing two elements. The first element is the matrix containing the estimates of the vaccine efficacy in reducing the attack rate at all observed event times (<code>VE_a</code>), together with the 95% confidence intervals, as well as the vaccine efficacy in reducing the hazard rate at these times (<code>VE_h</code>). These results will be shown in graphical form if <code>input_plots = TRUE</code> . The second element is the matrix containing the estimates of vaccine efficacy in reducing the attack rate over successive time periods, together with the 95% confidence intervals.

References

Lin, DY, Zeng, D, and Gilbert, PB (2021). Evaluating the long-term efficacy of COVID-19 vaccines. *Clinical Infectious Diseases*, ciab226, <https://doi.org/10.1093/cid/ciab226>.

Examples

```
data(doveData)

set.seed(1234)

ind <- sample(1:nrow(x = doveData), 500, FALSE)

# NOTE: This sample size is chosen for example only -- larger data sets
# should be used.
# See the vignette for a full analysis of the doveData dataset

dove(formula = Surv(event.time, event.status) ~ priority + sex +
      vaccine(entry.time, vaccine.status, vaccine.time),
      data = doveData[ind,])
```

Description

Estimates the potentially waning long-term efficacy of vaccines in randomized, placebo-controlled clinical trials with staggered enrollment of participants and sequential crossover of placebo recipients. The log hazard ratio for the vaccine effect is assumed to be a piecewise linear function of time since vaccination, whereas the baseline hazard function is nonparametric.

Usage

```
dove2(
  formula,
  data,
  plots = TRUE,
  changePts = NULL,
  constantVE = FALSE,
  timePts = NULL
)
```

Arguments

formula	A formula object, with the response on the left-hand side of a '~' operator, and the covariates and vaccine() function on the right-hand side. The response must be a survival analysis object as returned by the 'Surv' function of the survival package. See Details for further information. The vaccine() function must be used to specify the entry time and vaccination information. See ?vaccine and Details for further information.
data	A data.frame object. The data.frame in which to interpret the variable names in formula. Must contain the entry time, the event time, the event status, the vaccination status, the vaccination time, and the covariates. See Details.
plots	A logical object. If TRUE (default), plots of the estimated VE in reducing the attack rate, the estimated VE in reducing the hazard rate, and their 95% confidence intervals will be automatically generated. If FALSE, plots will not be generated.
changePts	A numerical vector object or NULL. The potential change points (in days) of the piece-wise log-linear hazard ratio for the vaccine effect. See Details for further information. If NULL, one change point will automatically be selected among {28, 35, 42, 49, 56} (Weeks 4, 5, 6, 7, 8) by the Akaike information criterion (AIC).
constantVE	A logical object. If FALSE (default), VE is allowed to vary after the last change point. If TRUE, VE is assumed to be constant after the last change point.
timePts	A numerical vector object or NULL. The endpoints (in days) of the time periods for which the VE in reducing the attack rate are to be estimated. If NULL, a

default sequence $t_1, 2t_1, 3t_1, \dots$ will be used, where t_1 is the first change point. The sequence ends at the maximum of the event times from all participants. This input is ignored when `constantVE = TRUE`.

Details

In `dove2()`, the log hazard ratio for the vaccine effect is a piecewise linear function of time since vaccination. Its sister function, `dove()`, allows the hazard ratio to be a nonparametric function of time for which confidence intervals are not provided. The approach implemented in `dove2()` provides more precise and more stable estimates of vaccine efficacy on the hazard rate and includes proper confidence intervals.

The information required for an analysis is

Entry Time: Calendar time when the participant enters the trial.

Event Time: Calendar time when the participant experiences the clinical event of interest (e.g., symptomatic COVID-19) or the follow-up ends, whichever occurs first.

Event Status: Binary indicator taking value 1 if the clinical event of interest occurs before the end of follow-up and 0 otherwise.

Vaccination Status: Binary indicator taking value 1 if vaccination occurs before the end of follow-up and 0 otherwise.

Vaccination Time: Calendar time when vaccination takes place, with NA, Inf, or an arbitrary non-negative value if the participant is not vaccinated.

Covariates: Baseline covariates (e.g., priority group, age, ethnicity).

Note that all the time variables are measured from the start of the clinical trial and are specified in units of days. For each individual, the `entry_time`, `event_time`, and `vaccination_time` must satisfy `entry_time ≤ event_time` and `entry_time ≤ vaccination_time`. If `entry_time > event_time` or `entry_time > vaccination_time`, the case will be removed from the analysis and a message will be generated.

The general structure of the formula input is

```
Surv(event_time, event_status) ~ covariates +
  vaccine(entry_time, vaccination_status, vaccination_time)
```

The response variable must be a survival analysis object as returned by the `'Surv()'` function of package **survival**, where `event_time` is the observation time (formal argument `'time'`) and `event_status` is the status indicator input (formal argument `'event'`). Specifically,

```
Surv(time = event_time, event = event_status)
```

The covariates can be either numerical or categorical. If categorical covariates are provided, all other categories are compared to the first category. A model without covariates is also allowed.

Value

An S3 object of class DOVE containing a list with elements

call	The unevaluated call.
changePts	The changePts of the analysis.
covariates	A matrix containing the estimated (log) hazard ratio of each covariate, together with the estimated standard error, the 95% confidence interval, and the two-sided p-value for testing no covariate effect. NA if no covariate is included in the model.
vaccine	A list containing one or three elements, depending on the value of constantVE. If constantVE = TRUE, the only element is named 'VE' and is a vector containing the estimate of constant VE, its standard error estimate, and the 95% confidence interval. If constantVE = FALSE, three matrices are returned. The first matrix named 'VE_a' contains the daily VE estimates in reducing the attack rate, together with the 95% confidence intervals. The second matrix named 'VE_h' contains the daily VE estimates in reducing the hazard rate, together with the 95% confidence intervals. The third matrix named 'VE_period' contains the estimates of VE in reducing the attack rate over successive time periods according to timePts, together with the 95% confidence intervals.

References

Lin, D-Y, Gu, Y., Zeng, D., Janes, H. E., and Gilbert, P. B. (2021). Evaluating vaccine efficacy against SARS-CoV-2 infection. *Clinical Infectious Diseases*, ciab630, <https://doi.org/10.1093/cid/ciab630>.

Examples

```
data(doveData)

set.seed(1234)
smp <- sample(1L:nrow(x = doveData), size = 2500L)

# NOTE: This sample size is chosen for example only -- larger data sets
# should be used.
# See the vignette for a full analysis of the doveData dataset

# Fit the model with default settings
dove2(formula = Surv(event.time, event.status) ~ priority + sex +
      vaccine(entry.time, vaccine.status, vaccine.time),
      data = doveData[smp,])

# Specify Week 4 as the change point
# Assume a potentially waning VE after 4 weeks
# Estimate VE_a over 0-4, 4-16, 16-28, 28-40 weeks
dove2(formula = Surv(event.time, event.status) ~ priority + sex +
      vaccine(entry.time, vaccine.status, vaccine.time),
      data = doveData[smp,],
      changePts = 4*7,
      timePts = c(4, 16, 28, 40)*7)
```

```
# Specify multiple change points at Weeks 4 and 8
# Assume a constant VE after 8 weeks
dove2(formula = Surv(event.time, event.status) ~ priority + sex +
      vaccine(entry.time, vaccine.status, vaccine.time),
      data = doveData[smp,],
      changePts = c(4, 8)*7,
      constantVE = TRUE)
```

doveData

Toy Dataset For Illustration

Description

This data set is provided to illustrate the use of the software. It was simulated under a priority-tier dependent crossover design with a ramping vaccine effect between dose 1 and dose 2.

Usage

```
data(doveData)
```

Format

doveData is a data.frame containing 40,000 participants The data.frame contains 7 columns,

entry.time The entry time in days

event.time The observation time in days

event.status The event indicator (1=event; 0=censored)

vaccine.time The time of vaccination in days; NA if not vaccinated

vaccine.status The indicator of vaccination (1 = vaccinated; 0 = not vaccinated)

priority A composite baseline risk score taking values 1-5

sex A binary indicator of sex (male/female)

plot

Plot Estimated Vaccine Efficacy

Description

Generates plots of the estimated vaccine efficacy in reducing attack rate, the estimated vaccine efficacy in reducing the hazard rate, and their 95% confidence intervals.

Usage

```
## S3 method for class 'DOVE'
plot(x, y, ..., bandwidth = NULL)
```


Arguments

x	An DOVE object. The value object returned by <code>dove()</code> and <code>dove2()</code> .
y	ignored.
...	ignored
bandwidth	A numeric vector object. A tuning parameter for the bandwidth used for kernel estimation of the vaccine efficacy in reducing the hazard rate for objects returned by <code>dove()</code> . This input is ignored for objects returned by <code>dove2()</code> .

Value

No return value, called to produce graphical elements.

Examples

```
data(doveData)

set.seed(1234)

smp <- sample(1:nrow(x = doveData), 500, FALSE)

# NOTE: This sample size is chosen for example only -- larger data sets
# should be used.
# See the vignette for a full dove() analysis of the doveData dataset

result <- dove(formula = Surv(event.time, event.status) ~ priority + sex +
               vaccine(entry.time, vaccine.status, vaccine.time),
               data = doveData[smp,])

plot(x = result, bandwidth = c(0.5,1.0))

set.seed(1234)
smp <- sample(1L:nrow(x = doveData), size = 2500L)

# NOTE: This sample size is chosen for example only -- larger data sets
# should be used.
# See the vignette for a full dove2() analysis of the doveData dataset

# Fit the model with default settings
result <- dove2(formula = Surv(event.time, event.status) ~ priority + sex +
                vaccine(entry.time, vaccine.status, vaccine.time),
                data = doveData[smp,])

plot(x = result)
```

print

Print the Primary Results of a dove() or dove2() Analysis

Description

Print the primary results of a `dove()` or `dove2()` analysis.

Usage

```
## S3 method for class 'DOVE'  
print(x, ...)
```

Arguments

<code>x</code>	An DOVE object. The value object returned by a call to <code>dove()</code> or <code>dove2()</code>
<code>...</code>	ignored

Value

No return value, called to display key results.

Examples

```
data(doveData)  
  
set.seed(1234)  
  
smp <- sample(1:nrow(x = doveData), 500, FALSE)  
  
# NOTE: This sample size is chosen for example only -- larger data sets  
# should be used.  
# See the vignette for a full dove() analysis of the doveData dataset  
  
result <- dove(formula = Surv(event.time, event.status) ~ priority + sex +  
                vaccine(entry.time, vaccine.status, vaccine.time),  
              data = doveData[smp,])  
  
print(x = result)  
  
set.seed(1234)  
smp <- sample(1L:nrow(x = doveData), size = 2500L)  
  
# NOTE: This sample size is chosen for example only -- larger data sets  
# should be used.  
# See the vignette for a full dove2() analysis of the doveData dataset  
  
# Fit the model with default settings  
result <- dove2(formula = Surv(event.time, event.status) ~ priority + sex +  
                vaccine(entry.time, vaccine.status, vaccine.time),
```

```
data = doveData[smp,])  
  
print(x = result)
```

vaccine

Specify Vaccination Variables and Entry Time

Description

This function is used in the model statements of `dove()` and `dove2()` to specify the vaccination time, vaccination status, and entry time.

Usage

```
vaccine(entry_time, vaccination_status, vaccination_time)
```

Arguments

`entry_time` The variable for the time when the participant enters the trial. Entry times must be non-negative and complete.

`vaccination_status` The variable indicating the vaccination status: 1 = vaccinated; 0 = not vaccinated. Vaccination status must be binary, integer (or be able to be cast as integer without loss of information), and complete.

`vaccination_time` The variable for the time when vaccination takes place. Vaccination time must be non-negative for vaccinated participants and can be any non-negative value, NA or Inf if a participant was not vaccinated during the trial.

Details

For participants that were vaccinated, times must obey $\text{entry_time} \leq \text{vaccination_time}$. If a case is found to violate this relationship, its `entry_time` is set to NA and it is removed from the analysis.

Value

This function is intended to be used only in the model statements of `dove()` and `dove2()`. The result, a matrix, is used internally.

Index

* datasets

doveData, 8

dove, 2

dove2, 5

doveData, 8

plot, 8

print, 10

vaccine, 11